

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	115009	inductor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:00
L2	33489	(conductor\$1 conductiv\$3) with loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:02
L3	44002	(conductor\$1 conductiv\$3 conduct\$3) with loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:11
L4	3935	1 & 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:02
L5	800	4 & ((resin coat\$3 protect\$3 seal\$3) with (conductor\$1 conductiv\$3 conduct\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:08
L6	594	5 & (cor\$3 tub\$3 cylinder\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:09
L7	80572	(conductor\$1 conductiv\$3 conduct\$3 coil\$3) with loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:11
L8	5787	1 & 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:11

L9	3899	8 & (cor\$3 tub\$3 cylinder\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:12
L10	762	9 & ((resin coat\$3 protect\$3 seal\$3) with (conductor\$1 conductiv\$3 conduct\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:14
L11	486	10 & (nickel copper silver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:34
L12	60	"6741221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:16
L13	5	11 & 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:33
L14	2	"20050024290"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:34
L15	2	"6870516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 16:34
L16	2	"20020125997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:06

L17	29	11 & "343"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:18
L18	39	10 & "343"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:31
L19	5	"6582887"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:09
L20	4	19 & (cor\$3 tub\$3 cylinder\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:10
L21	4	20 & coil\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:10
L22	23	11 & (metal with powder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 17:18
L23	29	18 & (nickel copper silver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:02
L24	12	"5247297"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:04

L25	6	"5808562"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:05
L26	8	"4862316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:05
L27	528796	((resin coat\$3 protect\$3 seal\$3) with (conductor\$1 conductiv\$3 conduct\$3 coil\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:10
L28	10815	1 & 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:09
L29	334076	((resin coat\$3) with (conductor\$1 conductiv\$3 conduct\$3 coil\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:12
L30	6124	1 & 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:11
L31	282207	30 * "343"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:11
L32	180	30 & "343"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:11

L33	71	32 & loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:11
L34	3152	(resin coat\$3) with (conductor\$1 coil\$1) & 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:12
L35	83	34 & "343"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:13
L36	38	35 & loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 18:13